Author Index

Adimurthy, V.	Separation dynamics of heat shield fairings	67–80
Ahmed, S. A.	Three component velocity measurements of an isothermal confined swirling flow	113–122
Allen, J. E.	Fuel-related issues concerning the future of aviation	1–11
Allen, C. B.	Grid adaptation for unsteady flow computations	237–250
Armstrong, F. W.	Fuel-related issues concerning the future of aviation	1–11
Azzam, H.	A practical approach for the indirect prediction of structural fatigue from measured flight parameters	29–38
Backhouse, R.	Reducing cost, time and risk in aero-engine compressor testing	395–402
Bates, J. P.	Knowledge-based geometric modelling of aircraft structures	273–284
Burchell, M. J.	Hypervelocity impact on spacecraft carbon fibre reinforced plastic/aluminium honeycomb	355–363
Chi, Y. M.	Coupling of sloshing and orbit dynamics-driven reaction force fluctuations in response to impulse with various rotating speeds	221–236
Crowder, R.	Simulation of a prototype electrically powered integrated actuator for civil aircraft	381–394
Denning, R. M.	Fuel-related issues concerning the future of aviation	1–11
Dunne, F. P. E.	Determination of superplastic constitutive equations and strain rate sensitivities for aerospace alloys	367–380
Ebrahimi, M.	The dynamic analysis of mechanical systems and structures with large parameter variations	169–181
Edge, E. C.	A method for the production of carpet plots for notced compression strength of carbon fibre reinforced plastic multidirectional laminates	251–261
Elangovan, S.	Studies on twin non-parallel unventilated high-speed jets	337–353
Fearn, D. G.	Spacecraft ion propulsion development in the United Kingdom	103–112
Fielding, J. P.	Avionics cooling-rate trade-off modelling for ultra-high capacity	403–412
Fujimori, A.	A design of active flutter suppression control systems using **[mu]** synthesis and controller reduction	183–192
Fung, C.-P.	Riveted single lap joints. Part 1: a numerical parametric study	13–27
Fung, C.-P.	Riveted single lap joints. Part 2: fatigue life prediction	123–128
Gardner, D. J.	Hypervelocity impact on spacecraft carbon fibre reinforced plastic/aluminium honeycomb	355–363
Ge, Z.-M.	Stability of an elastically connected two-body space station by the perturbation method	193–208
Giannakopoulos, C.	Implications of NOy emissions from subsonic aircraft at cruise altitude	157–168
Han, J. H.	Visualization of non-equilibrium dissociating flows	295–305
Hanney, P. D.	Development of real time data monitoring and analysis techniques in the flight test environment	413–420
Harris, C. J.	Trimming of flight simulation ground models	91–102
Hart-Smith, L. J.	Developments in adhesively bonding the wings of the SAAB 340 and 2000 aircraft	133–156
Herbert, M. K.	Hypervelocity impact on spacecraft carbon fibre reinforced plastic/aluminium honeycomb	355–363
Hobbs, S. E.	Implications of NOy emissions from subsonic aircraft at cruise altitude	157–168
Hogg, C. R.	Trimming of flight simulation ground models	91–102
Horton, H. P.	Near-similarity approximation for compressible, laminar boundary layers on adiabatic walls	285–294
Howard, I. M.	Higher-order spectral techniques for machine vibration condition monitoring	211–219
Hu, F. Z.	Design and performance of bonded patch repairs of composite structures	263–271
Hung, R. J.	Coupling of sloshing and orbit dynamics-driven reaction force fluctuations in response to impulse with various rotating speeds	221–236
Ivey, P.	Reducing cost, time and risk in aero-engine compressor testing	395–402

© IMechE 1997

Jones, D.	Trimming of flight simulation ground models	91–102
Kay, L.	Hypervelocity impact on spacecraft carbon fibre reinforced plastic/aluminium honeycomb	355–363
Kennaugh, A.	Visualization of non-equilibrium dissociating flows	295–305
Kim, T. W.	Determination of superplastic constitutive equations and strain rate sensitivities for aerospace alloys	367–380
Kinloch, A. J.	Adhesives in engineering	307–335
Ku, S.-C.	Stability of an elastically connected two-body space station by the perturbation method	193–208
Kumar, K.	Separation dynamics of heat shield fairings	67–80
Law, K. S.	Implications of NOy emissions from subsonic aircraft at cruise altitude	157–168
Le Dilosquer, M.	Implications of NOy emissions from subsonic aircraft at cruise altitude	157–168
Lee, S. H.	Implications of NOy emissions from subsonic aircraft at cruise altitude	157–168
Lochan, R.	Separation dynamics of heat shield fairings	67–80
Long, Y. T.	Coupling of sloshing and orbit dynamics-driven reaction force fluctuations in response to impulse with various rotating speeds	221–236
Mallock, B.	Trimming of flight simulation ground models	91–102
Maxwell, C.	Simulation of a prototype electrically powered integrated actuator for civil aircraft	381–394
Molyneux, W. G.	The internal bevel gear and its applications	39–61
Morris, A. J.	Knowledge-based geometric modelling of aircraft structures	273–284
Nikiforuk, P. N.	A design of active flutter suppression control systems using **[mu]** synthesis and controller reduction	183–192
Pan, H.	Effects of target curvature on the impact characteristics of simulated hailstones	81–90
Payne, P. N.	Knowledge-based geometric modelling of aircraft structures	273–284
Plantevin, P. H.	Implications of NOy emissions from subsonic aircraft at cruise altitude	157–168
Poll, D. I. A.	Visualization of non-equilibrium dissociating flows	295–305
Pyle, J. A.	Implications of NOy emissions from subsonic aircraft at cruise altitude	157–168
Rathakrishnan, E.	Studies on twin non-parallel unventilated high-speed jets	337–353
Reed, R. C.	The development and validation of a model for the electron beam welding of aero-engine components	421–429
Render, P. M.	Effects of target curvature on the impact characteristics of simulated hailstones	81–90
Robinson, J. M.	The development and validation of a model for the electron beam welding of aero-engine components	421–429
Rycroft, M. J.	Implications of NOy emissions from subsonic aircraft at cruise altitude	157–168
Singh, R.	Implications of NOy emissions from subsonic aircraft at cruise altitude	157–168
Smart, J.	Riveted single lap joints. Part 1: a numerical parametric study	13–27
Smart, J.	Riveted single lap joints. Part 2: fatigue life prediction	123–128
Solaiappan, A.	Studies on twin non-parallel unventilated high-speed jets	337–353
Soutis, C.	A method for the production of carpet plots for notched compression strength of carbon fibre reinforced plastic multidirectional laminates	251–261
Soutis, C.	Design and performance of bonded patch repairs of composite structures	263–271
Stone, H. J.	The development and validation of a model for the electron beam welding of aero-engine components	421–429
Strindberg, G.	Developments in adhesively bonding the wings of the SAAB 340 and 2000 aircraft	133–156
Taylor, E. A.	Hypervelocity impact on spacecraft carbon fibre reinforced plastic/aluminium honeycomb	355–363
Thomson, R.	Hypervelocity impact on spacecraft carbon fibre reinforced plastic/aluminium honeycomb	355–363
Vaziry-Z, M. A. F.	Avionics cooling-rate trade-off modelling for ultra-high capacity	403–412
Whalley, R.	The dynamic analysis of mechanical systems and structures with large parameter variations	169–181

© IMechE 1997